APPENDIX G

# FISHERY REPORT: EXPLORATORY FISHERY FOR *DISSOSTICHUS* SPP. IN DIVISION 58.4.3A

# CONTENTS

1.	Details of the fishery	1
	1.1 Reported catch	2
	1.2 IUU catch	2
	1.3 Size distribution of catches	2
2.	Stocks and areas	3
3.	Parameter estimation	3
	3.1 Observations	3
	3.2 Fixed parameter values	4
4.	Stock assessment	4
5.	By-catch of fish and invertebrates	4
	5.1 By-catch removals	4
	5.2 Assessment of impacts on affected populations	5
	5.3 Identification of levels of risk	5
	5.4 Mitigation measures	5
6.	By-catch of birds and mammals	5
	6.1 By-catch removals	5
	6.2 Mitigation measures	6
7.	Ecosystem implications/effects	6
8.	Harvest controls and management advice	6
	8.1 Conservation measures	6
	8.2 Management advice for <i>Dissostichus</i> spp. in Subarea 58.4	7

# FISHERY REPORT: EXPLORATORY FISHERY FOR DISSOSTICHUS SPP. IN DIVISION 58.4.3A

#### 1. Details of the fishery

The longline fishery for *Dissostichus* spp. in Division 58.4.3 began as a new fishery in 1996/97 (Conservation Measure 113/XV). Following the Commission's decision that high levels of IUU fishing for *Dissostichus* spp. in the Convention Area had rendered it unrealistic to consider this fishery as 'new' (CCAMLR-XVIII, paragraph 10.14), and renewed interest in this fishery, the fishery was reclassified as exploratory in 2000. That year, the Commission agreed on four exploratory fisheries for *Dissostichus* spp. in this region in 2000/01: exploratory trawl fisheries on BANZARE Bank (Conservation Measure 203/XIX) and Elan Bank (Conservation at BANZARE Bank (Conservation Measure 204/XIX) and Elan Bank (Conservation Measure 206/XIX).

2. In 2001, the boundaries of Division 58.4.3 were rearranged on the basis of ecological considerations, and two new divisions were formed: Division 58.4.3a (Elan Bank) and Division 58.4.3b (BANZARE Bank) (see Figure 1). The Commission agreed to exploratory fishery for *Dissostichus* spp. in each of these new divisions, outside areas of national jurisdiction.

3. In 2006/07, the exploratory fishery for *Dissostichus* spp. in Division 58.4.3a was limited to Japanese, Korean and Spanish vessels using longlines only, and no more than one vessel per country was permitted to fish at any one time (Conservation Measure 41-06). The precautionary catch limit for *Dissostichus* spp. was limited to 250 tonnes. The catch limits for by-catch species were defined in Conservation Measure 33-03. The fishing season was from 1 May to 31 August 2007. Fishing was permitted outside the prescribed season provided that each vessel demonstrated its capacity to comply with the requirements for longline weighting outlined in Conservation Measure 24-02.



Figure 1: General map of Division 58.4.3a (Elan Bank). This division consists of a single SSRU.

# 1.1 Reported catch

4. Licensed longline vessels have fished the exploratory fishery for *Dissostichus* spp. in Division 58.4.3a since 2004/05, and the target species is *D. eleginoides* (Table 1). In 2006/07, two vessels reported a total catch of 4 tonnes of *Dissostichus* spp. (1.6% of the precautionary catch limit for the fishery).

# 1.2 IUU catch

5. Information on IUU fishing indicated that approximately 98 tonnes of *Dissostichus* spp. were taken during IUU fishing in Division 58.4.3a in 2004/05, and there were no reports of sightings or landings related to IUU fishing in 2005/06 and 2006/07 (Table 1; see also WG-FSA-07/10 Rev. 5).

Table 1:Catch history for *Dissostichus* spp. in Division 58.4.3a (source: STATLANT data for past seasons,<br/>and catch and effort reports for current season, WG-FSA-07/10 Rev. 5 and past reports for IUU<br/>catch).

Season	Regulated fishery						Estimated	Total
	Effort		Dissostichus spp.				IUU catch	removals
	(number of vessels)		Catch limit	Reported catch (tonnes)			(tonnes)	(tonnes)
	Limit	Reported	(tonnes)	D. eleginoides	D. mawsoni	Total		
2003/04	6	0	250	0	0	0	-	0
2004/05	3	4	250	100	10	110	98	208
2005/06	4	1	250	88	1	89	0	89
2006/07	3	2	250	2	2	4	0	4

# **1.3 Size distribution of catches**

6. Most *D. eleginoides* caught in the fishery ranged from 50 to 150 cm in length (Figure 2). A bimodal distribution was observed in 2004/05, 2005/06 and 2006/07, with broad modes at approximately 50–80 and 90–130 cm.



Weighted Frequency (proportion of the catch)

Figure 2: Catch-weighted length frequencies for *Dissostichus eleginoides* in Division 58.4.3a (source: observer, fine-scale and STATLANT data, and the length-weight relationship was taken from observations on *D. eleginoides* in Subarea 48.3).

# 2. Stocks and areas

7. No data are available on the stock structure of fish in this fishery.

# 3. Parameter estimation

# 3.1 Observations

8. Vessels operating in this fishery are required to conduct fishery-based research in accordance with Conservation Measure 41-01. This includes the collection of detailed catch, effort and biological data (Annex 41-01/A), the setting of research lines (Annex 41-01/B) and participation in the tagging program (Annex 41-01/C).

9. Vessels, on first entry into an SSRU, are required to make 10 research longline hauls. A further 10 research hauls are required during the course of fishing. The number of research hauls reported in fine-scale data are summarised in Table 2.

10. Vessels are also required to tag and release *Dissostichus* spp. at a rate of one fish per tonne of green-weight catch, and vessels may discontinue tagging once 500 fish have been tagged. A total of 312 *D. eleginoides* have been tagged and released and six fish have been recaptured in that division (Table 3).

Season	Flag State	Vessel name	1	Number of hauls	
			R	С	Total
2004/05	Australia	Avro Chieftain	10		10
	Korea, Republic of	Bonanza No. 707	10	10	20
	Spain	Arnela	20	6	26
	•	Galaecia	34	79	113
2005/06	Spain	Galaecia	33	95	128
2006/07	Japan	Shinsei Maru No. 3	12	4	16
	Spain	Tronio	20	4	24

Table 2:Research (R) and commercial (C) longline hauls reported by vessels operating in the<br/>exploratory fishery for *Dissostichus* spp. in Division 58.4.3a (source: fine-scale data).

Table 3: Number of individuals of *Dissostichus* spp. tagged and released and the tagging rate (fish per tonne of green weight caught) reported by vessels operating in the exploratory fishery for *Dissostichus* spp. in Division 58.4.3a. The number of *D. eleginoides* is indicated in brackets. The total number of tagged fish recaptured to date in Division 58.4.3a is also included. (Source: observer data and catch and effort reports.)

Season	Flag State	Vessel name	Dissost	Dissostichus spp. tagged and released		
			Numbe	er of fish	Tagging rate	
2004/05	Australia	Avro Chieftain	4	(4)	2.75	
	Korea, Republic of	Bonanza No. 707	32	(32)	3.72	
	Spain	Arnela	19	(19)	2.01	
	•	Galaecia	144	(144)	1.60	
2005/06	Spain	Galaecia	104	(104)	1.17	
2006/07	Japan	Shinsei Maru No. 3	4	(4)	1.83	
2006/07	Spain	Tronio	5	(5)	2.23	
Total numbe	r of fish tagged and relea	312	(312)			
Total number of tagged fish recaptured in Division 58.4.3a6(6)						

# **3.2 Fixed parameter values**

11. None available for this fishery.

# 4. Stock assessment

12. The catch limits in this fishery were agreed by the Commission based on advice provided by the Scientific Committee.

#### 5. By-catch of fish and invertebrates

### 5.1 By-catch removals

13. Catches of by-catch species groups (macrourids, rajids and other species) reported in fine-scale data, their respective catch limits, and number of rajids cut from lines and released

alive are summarised in Table 4. The by-catch in this fishery consists predominantly of rajids (up to 17 tonnes per season). Catches of macrourids have been reported up to 2 tonnes per season.

Season	Macrourids		Rajids			Other species	
	Catch limit (tonnes)	Reported catch (tonnes)	Catch limit (tonnes)	Reported catch (tonnes)	Number released	Catch limit (tonnes)	Reported catch (tonnes)
2003/04	26	0	50	0	-	20	0
2004/05 2005/06	26 26	2 1	50 50	17 7	985	20 20	2
2006/07	26	0	50	0	-	20	1

Table 4:Catch history for by-catch species (macrourids, rajids and other species), catch limits and<br/>number of rajids released alive in Division 58.4.3a. Catch limits are for the whole fishery<br/>(see Conservation Measure 33-03 for details). (Source: fine-scale data.)

# 5.2 Assessment of impacts on affected populations

14. None available for this fishery.

# **5.3 Identification of levels of risk**

15. None available for this fishery.

# 5.4 Mitigation measures

16. The Commission has agreed that, where possible, vessels should release rays from the lines by cutting the snoods when the rays are still in the water, unless requested not to do so by the scientific observer during the biological sampling period (CCAMLR-XXIV, paragraph 4.51). The Commission has been requested to review this mitigation practice (see SC-CAMLR-XXVI, Annex 5, paragraph 5.53).

# 6. By-catch of birds and mammals

# 6.1 By-catch removals

17. Details of seabird by-catches are summarised in Table 5.

Season	By-catch limit (number of birds)	Mortality rate (birds/thousand hooks)	Total estimated mortality (number of birds)
2003/04	3*	0	0
2004/05	3*	0	0
2005/06	3*	0	0
2006/07	3*	0	0

Table 5:Seabird by-catch limit, observed mortality rate and total estimated mortality of seabird by-catch in<br/>Division 58.4.3a (from SC-CAMLR-XXVI, Annex 6, Part II, Table 20).

\* Per vessel during daytime setting

18. No marine mammal interactions or mortalities were reported.

19. Ad hoc WG-IMAF assessed the risk level of seabirds in this fishery in Division 58.4.3a as category 3 (average) (SC-CAMLR-XXVI, Annex 6, Part II, Table 20).

# 6.2 Mitigation measures

20. Conservation Measure 25-02 applies to this fishery and in recent years has been linked to an exemption for night setting in Conservation Measure 24-02 and subject to a seabird by-catch limit. Offal and other discharges are regulated under annual conservation measures (e.g. Conservation Measures 41-06 and 26-01).

# 7. Ecosystem implications/effects

21. No evaluation available for this fishery.

# 8. Harvest controls and management advice

# 8.1 Conservation measures

22. The limits on the exploratory fishery for *Dissostichus* spp. in Division 58.4.3a are defined in Conservation Measure 41-06. The limits in force in 2006/07 and the Working Group's advice to the Scientific Committee for the forthcoming 2007/08 season are summarised in Table 6.

Element	Limit in 2006/07	Advice for 2007/08
Access	No more than one vessel per country at any one time.	Carry forward
Catch limit	Precautionary catch limit for <i>Dissostichus</i> spp. was 250 tonnes outside areas of national jurisdiction.	Carry forward
Season	1 May to 31 August, with fishing permitted outside the prescribed season provided that each vessel demonstrated its capacity to comply with the requirements for longline weighting outlined in Conservation Measure 24-02.	Same period and conditions
By-catch	Regulated by CM 33-03.	Review
Mitigation	In accordance with CM 25-02, except paragraph 4 if requirements of CM 24-02 are met.	Carry forward
	Limit of three (3) seabirds per vessel during daytime setting.	Carry forward
Observers	At least one scientific observer appointed in accordance with the CCAMLR Scheme.	Carry forward
Data	Five-day catch and effort reporting Haul-by-haul catch and effort data Biological data reported by the CCAMLR scientific observer	Carry forward Carry forward Carry forward
Research	Fishery-based research in accordance with CM 41-01, including the collection of detailed catch, effort and biological data (Annex 41-01/A), setting of research hauls (Annex 41-01/B) and tagging (Annex 41-01/C).	Carry forward
	Toothfish tagged at a rate of at least one fish per tonne green weight caught.	Carry forward
Environmental protection	Regulated by CM 26-01.	Carry forward

Table 6:Limits on the exploratory fishery for *Dissostichus* spp. in Division 58.4.3a in 2006/07 (Conservation<br/>Measure 41-06) and advice to the Scientific Committee for 2007/08.

# 8.2 Management advice for Dissostichus spp. in Subarea 58.4

23. In 2006 the Scientific Committee noted several features of exploratory *Dissostichus* spp. fisheries in the southern Indian Ocean (Subarea 58.4) which gave cause for concern as to the status of the resource in this area, and the lack of a scientific basis for setting catch limits (SC-CAMLR-XXV, paragraphs 4.184 to 4.192). In its management advice for this and other exploratory fisheries, the Scientific Committee requested urgent consideration by Members of methods for collecting data and of assessing these stocks.

24. The Working Group requested submissions by Members on stock structure, biological parameters (e.g. growth, length–weight relationship, maturity), recruitment and methods for assessment of these stocks.

25. The Working Group recommended that the minimum tag rate be at least three fish per tonne for Subarea 58.4 and that the Scientific Committee consider whether a higher rate should be applicable for each of the divisions of Subarea 58.4 which:

(i) was commensurate with the size of the fishery and the stock abundance in the division;

(ii) took into account the practical considerations of maintaining a high-quality tagging program.

26. The Working Group recommended that a depletion analysis similar to that applied to Division 58.4.3b and presented in WG-FSA-07/44 be completed for Divisions 58.4.1 and 58.4.2.

27. The Working Group recommended that Division 58.4.3b be divided into two SSRUs with the line of division running along latitude 60°S. This division would separate the main fishing grounds and could be used to better manage those grounds (SC-CAMLR-XXVI, Annex 5, Figure 5).

28. The Working Group recommended that the precautionary catch limit for *Dissostichus* spp. in Division 58.4.3b, which was 300 tonnes, should be reviewed given the rapid and unsustainable depletion seen in the fishery.

29. The Working Group further recommended that the new southern SSRU from the recommended division of Division 58.4.3b be closed to fishing for the 2007/08 season, given the rapid and unsustainable depletion seen in the fishery.

30. Dr Naganobu expressed the view that the priority is to decrease the level of IUU occurring in Division 58.4.3b before considering a closure of part or all of the division, as this is the reason why the stock has sustained such a high level of depletion.