

Table 8.1

Catch (tonnes) by species and country.

Capture (en tonnes) par espèce et pays.

Вылов (в тоннах) по видам и странам.

Captura (toneladas) por especie y país.

| Table 8.1 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|--------------|------------|------------|------------|------------|------------|------------|------------|--------------|------------|
| ADK : Artedidraco skottsbergi | | | | | | | | | | |
| NZL | | | | | | | | | 0 | |
| RUS | | 0 | | | | | | | | |
| ADK : Artedidraco skottsbergi Total | | 0 | | | | | | | 0 | |
| AEM : Aethotaxis mitopteryx | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| KOR | | | | | | | | 0 | | |
| NOR | | | | | | | | | 0 | |
| NZL | | | | | | 0 | | | | |
| AEM : Aethotaxis mitopteryx Total | | | | | | 0 | | 0 | 0 | 0 |
| AJH : Anthozoa | | | | | | | | | | |
| AUS | | | | | | | | | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| AJH : Anthozoa Total | | | | | | 0 | | | 0 | 0 |
| AKW : Aphrodita aculeata | | | | | | | | | | |
| AUS | | 0 | | | | | | | | |
| NZL | | | | | | | | | | 0 |
| AKW : Aphrodita aculeata Total | | 0 | | | | | | | | 0 |
| ALH : Alepocephalus spp | | | | | | | | | | |
| AUS | | | | | 0 | 0 | | 0 | 0 | 0 |
| NZL | | | | | | 0 | | 0 | | |
| ALH : Alepocephalus spp Total | | | | | 0 | 0 | | 0 | 0 | 0 |
| ALI : Alepisaurus spp | | | | | | | | | | |
| AUS | | | | 0 | | | | | | |
| ALI : Alepisaurus spp Total | | | | 0 | | | | | | |
| ANI : Champsocephalus gunnari | | | | | | | | | | |
| AUS | 1,095 | 10 | 465 | 528 | 515 | 443 | 507 | 403 | 1,024 | 336 |
| CHL | 29 | 0 | 100 | | 42 | 0 | 3 | 0 | 1 | 0 |
| CHN | 0 | 5 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 0 |
| FRA | | 178 | | 0 | | | | | | |
| GBR | 2 | 278 | 2 | 128 | 1 | 6 | | 2 | | 8 |
| KOR | 3 | 0 | 0 | 0 | 0 | 1 | 1 | 10 | 1 | 0 |
| NOR | 0 | 1 | 2 | 0 | 15 | 2 | 10 | 16 | 20 | 2 |
| UKR | 0 | 7 | | 0 | 0 | 2 | 3 | 5 | 0 | 0 |
| ANI : Champsocephalus gunnari Total | 1,130 | 478 | 570 | 657 | 573 | 454 | 529 | 436 | 1,047 | 347 |
| ANP : Anotopterus pharao | | | | | | | | | | |
| AUS | | | | | 0 | | | | | |
| CHL | | | | | 0 | | 0 | 0 | 0 | 0 |
| CHN | | | | 0 | | 0 | | | | |
| KOR | 0 | | | | | 0 | 0 | | 0 | |
| NOR | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UKR | | | | | | 0 | 0 | | | |
| ANP : Anotopterus pharao Total | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANS : Pleuragramma antarctica | | | | | | | | | | |
| CHL | | | 0 | | 0 | | 0 | 0 | 0 | 0 |
| CHN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | 0 |
| UKR | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | | 0 |
| ANS : Pleuragramma antarctica Total | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| ANT : Antimora rostrata | | | | | | | | | | |
| AUS | 5 | 20 | 7 | 11 | 9 | 12 | 6 | 16 | 12 | 8 |
| CHL | 2 | 1 | 1 | 1 | 4 | 2 | 5 | | | 0 |
| ESP | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| FRA | 112 | 145 | 198 | 112 | 172 | 86 | 78 | 108 | 114 | 122 |
| GBR | 11 | 8 | 12 | 12 | 20 | 31 | 41 | 47 | 51 | 43 |
| JPN | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| KOR | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| NOR | 1 | 0 | | 0 | 1 | | | | | |
| NZL | 4 | 2 | 5 | 2 | 3 | 4 | 3 | 5 | 1 | 0 |
| RUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| UKR | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| URY | 1 | 1 | 1 | 1 | 4 | 8 | 1 | 5 | 0 | 7 |
| ZAF | 5 | 7 | 4 | 2 | 7 | 4 | 6 | 5 | 1 | |
| ANT : Antimora rostrata Total | 142 | 186 | 229 | 144 | 220 | 149 | 141 | 190 | 182 | 183 |
| AQM : Amphipoda | | | | | | | | | | |
| CHL | | | | | | | 0 | 0 | 0 | 0 |
| CHN | | | | 0 | | 0 | 0 | | 0 | 0 |
| KOR | 0 | | | 0 | | | | | | |
| NOR | | 0 | 0 | | | | | 0 | 0 | 0 |
| NZL | | | | 0 | | 0 | | | | |
| AQM : Amphipoda Total | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| AQZ : Antipatharia | | | | | | | | | | |
| AUS | | | | | 0 | | | | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | | | 0 | | | | | | 0 | |
| AQZ : Antipatharia Total | | | 0 | | 0 | | | | 0 | 0 |
| ATX : Actiniaria | | | | | | | | | | |
| AUS | 7 | 1 | 4 | 6 | 4 | 12 | 12 | 5 | 9 | 11 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| KOR | 0 | | | | | | | | | |
| NZL | | | | 0 | | | | | | |
| UKR | | 0 | | | | | | | | |
| ATX : Actiniaria Total | 7 | 1 | 4 | 6 | 4 | 12 | 12 | 5 | 9 | 11 |
| AXT : Stylasteridae | | | | | | | | | | |
| AUS | | | | | | 0 | | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | | | 0 | | | 0 | | | 0 | 0 |
| NZL | | | | 0 | | 0 | | | | |
| UKR | | 0 | | | | | | | | |
| AXT : Stylasteridae Total | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| AZT : Artedidraco mirus | | | | | | | | | | |
| GBR | | 0 | | | | 0 | | | | 0 |
| KOR | | | | | | | | 0 | 0 | |
| AZT : Artedidraco mirus Total | | 0 | | | | 0 | | 0 | 0 | 0 |
| BAA : Bathylagus antarcticus | | | | | | | | | | |
| AUS | | | 0 | | 0 | 0 | | 0 | 0 | 0 |
| NOR | | | | | | | 0 | | | |
| NZL | | | | | | 0 | | | | |
| BAA : Bathylagus antarcticus Total | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| BAM : Bathyrāja maccaini | | | | | | | | | | |
| AUS | | | | | 0 | | | | | |
| CHL | | | | | 0 | | | | | |
| KOR | | 0 | | | | | | | | |
| UKR | | | | | | 0 | | | | 0 |
| BAM : Bathyrāja maccaini Total | | 0 | | | 0 | 0 | | | | 0 |
| BDJ : Bathyraco marri | | | | | | | | | | |
| KOR | 0 | | | | | | | | | |
| NOR | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | 0 | | |
| BDJ : Bathyraco marri Total | 0 | | | | | 0 | | 0 | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
| BDN : Bathyraco antarcticus | | | | | | | | | | |
| AUS | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | 0 | | | | | |
| FRA | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| UKR | | | | 0 | | | | | | |
| BDN : Bathyraco antarcticus Total | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BEA : Bathyrāja eatonii | | | | | | | | | | |
| AUS | 7 | 4 | 17 | 39 | 23 | 44 | 6 | 20 | 47 | 1 |
| CHL | | | | | 0 | | | | | 0 |
| ESP | | 0 | 1 | | | | | | | |
| FRA | 15 | 1 | 3 | 6 | 8 | 4 | 8 | 9 | 6 | 5 |
| KOR | 0 | | 0 | 0 | 0 | 3 | | | | |
| NZL | | | | | | 0 | | | | 0 |
| UKR | 0 | | | | 0 | | | | 0 | 0 |
| URY | | | | | 0 | | 0 | | | |
| BEA : Bathyrāja eatonii Total | 21 | 6 | 22 | 45 | 31 | 51 | 14 | 29 | 53 | 6 |
| BEE : Benthabella elongata | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| NOR | | | 0 | | | | 0 | 0 | 0 | 0 |
| BEE : Benthabella elongata Total | | | 0 | | | | 0 | 0 | 0 | 0 |
| BHY : Bathyrāja spp | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| ESP | | | 0 | | | | | | | |
| FRA | 0 | 2 | 2 | 7 | 3 | 1 | 4 | 0 | 0 | 0 |
| JPN | | | | | | | | | | 0 |
| KOR | | | | 0 | | | | | | |
| NZL | | | | | | 0 | | | | |
| UKR | | | | | | | 1 | | | 0 |
| BHY : Bathyrāja spp Total | 0 | 2 | 2 | 7 | 3 | 1 | 4 | 0 | 0 | 0 |
| BIV : Smilium zancleanum | | | | | | | | | | |
| NZL | | | | | | | | 0 | | |
| BIV : Smilium zancleanum Total | | | | | | | | 0 | | |
| BMU : Bathyrāja murrayi | | | | | | | | | | |
| AUS | 2 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 0 |
| FRA | | | | 0 | | | | | | |
| BMU : Bathyrāja murrayi Total | 2 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 0 |
| BNZ : Benthabella macropinna | | | | | | | | | | |
| AUS | | | | | 0 | | | | 0 | 0 |
| NOR | | | 0 | | | | | | | |
| BNZ : Benthabella macropinna Total | | | 0 | | 0 | | | | 0 | 0 |
| BQY : Bathydraconidae | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| CHN | 0 | | | | | | | | | |
| GBR | | | | | | 0 | | | | |
| KOR | 0 | 0 | | | | | | | | |
| NOR | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| BQY : Bathydraconidae Total | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| BRI : Gonostomatidae | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| BRI : Gonostomatidae Total | | | | | | | | | | 0 |
| BRT : Borostomias antarcticus | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| BRT : Borostomias antarcticus Total | | | | | | 0 | | 0 | 0 | 0 |
| BTY : Bathylagus spp | | | | | | | | | | |
| AUS | | | | | | | | 0 | | 0 |
| BTY : Bathylagus spp Total | | | | | | | | 0 | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|-----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| BVH : Brachiopoda | | | | | | | | | | |
| AUS | | | | | | | | 0 | | 0 |
| BVH : Brachiopoda Total | | | | | | | | 0 | | 0 |
| BVK : Pogonophryne barsukovi | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| RUS | 0 | | | | | | | | | |
| BVK : Pogonophryne barsukovi Total | 0 | | | | | 0 | | | | |
| BWY : Bathylasmatidae | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | | 0 |
| CHL | | | | | | | | | 0 | |
| NZL | | | | | | 0 | | | | |
| BWY : Bathylasmatidae Total | | | | | | 0 | 0 | 0 | 0 | 0 |
| BYR : Bathyrāja irrasa | | | | | | | | | | |
| AUS | 1 | 1 | 2 | 4 | 4 | 7 | 1 | 4 | 11 | 0 |
| CHL | | | | | | | 0 | | | |
| FRA | 54 | 6 | 7 | 9 | 11 | 10 | 12 | 17 | 10 | 10 |
| BYR : Bathyrāja irrasa Total | 54 | 7 | 9 | 12 | 15 | 17 | 14 | 21 | 21 | 10 |
| BZN : Bryozoa | | | | | | | | | | |
| AUS | | | | | | 0 | 0 | 0 | 0 | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | | | 0 | | | 0 | | | | 0 |
| NZL | | | | 0 | | 0 | | | | |
| BZN : Bryozoa Total | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CEN : Centrolophidae | | | | | | | | | | |
| AUS | | | | | 0 | 0 | 0 | 0 | | 0 |
| CEN : Centrolophidae Total | | | | | 0 | 0 | 0 | 0 | | 0 |
| CEP : Cephalopoda | | | | | | | | | | |
| AUS | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | 0 | | 0 | 0 | | |
| CHN | | | 0 | 0 | | | 0 | | | |
| FRA | | 0 | | 0 | | | | | | |
| GBR | 0 | 0 | | | | 0 | | | | |
| KOR | 0 | | | 0 | | 0 | | 0 | 0 | |
| NOR | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | 0 | | | 0 | | 0 | | 0 | | |
| RUS | | | | | 0 | | | | | |
| UKR | | | | | | 0 | | 0 | | |
| URY | | | | | | | | | 0 | |
| CEP : Cephalopoda Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CEQ : Ceratias tentaculatus | | | | | | | | | | |
| AUS | | | | | | | 0 | | | |
| CEQ : Ceratias tentaculatus Total | | | | | | | 0 | | | |
| CES : Champsocephalus esox | | | | | | | | | | |
| KOR | 0 | | | | | | | | | |
| CES : Champsocephalus esox Total | 0 | | | | | | | | | |
| CHW : Chionobathyscus dewitti | | | | | | | | | | |
| AUS | | | | | 1 | | 0 | | | |
| CHL | | | | | | | 0 | | | 0 |
| CHN | | | 0 | | 0 | 0 | 0 | 0 | | 0 |
| ESP | 0 | 1 | 2 | 0 | | | | | | |
| FRA | | | | | 0 | 0 | 0 | | 1 | 0 |
| GBR | | | | | 0 | | | | | |
| KOR | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | | 1 |
| NOR | | | 0 | 0 | | 0 | 0 | 0 | | 0 |
| NZL | | | | | | 0 | | | 0 | 0 |
| RUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| UKR | 0 | | | 0 | 0 | 0 | 2 | 0 | 1 | 2 |
| CHW : Chionobathyscus dewitti Total | 1 | 1 | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 3 |
| CKH : Coryphaenoides armatus | | | | | | | | | | |
| AUS | | | | | 0 | 0 | | | 0 | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|----------|----------|-----------|----------|----------|----------|-----------|----------|----------|----------|
| ESP | | 0 | | | | | | | | |
| KOR | | | | | | 0 | | | | |
| CKH : Coryphaenoides armatus Total | | 0 | | | 0 | 0 | | | 0 | 0 |
| CLX : Bivalvia | | | | | | | | | | |
| AUS | | | | | | | | | 0 | 0 |
| CLX : Bivalvia Total | | | | | | | | | 0 | 0 |
| CNI : Cnidaria | | | | | | | | | | |
| AUS | 1 | 3 | 13 | 0 | 1 | 1 | 13 | 2 | 1 | 2 |
| CHL | | | 0 | | 0 | | 0 | 0 | 0 | 0 |
| CHN | | | | 0 | | | | | | |
| FRA | | 2 | | | | | | | | |
| GBR | | | | | | | | | | 0 |
| KOR | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | |
| NOR | | | 0 | 5 | | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | 0 | | 0 | | 0 | | |
| UKR | | | | | | 0 | | | | |
| CNI : Cnidaria Total | 1 | 5 | 13 | 5 | 1 | 1 | 13 | 2 | 1 | 2 |
| COX : Congridae | | | | | | | | | | |
| KOR | | | | | | | | 0 | | |
| COX : Congridae Total | | | | | | | | 0 | | |
| CRU : Crustacea | | | | | | | | | | |
| AUS | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| NZL | | | | | | 0 | | | | |
| CRU : Crustacea Total | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| CSS : Scleractinia | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | 0 | | 0 | 0 | 0 | 0 | | | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| CSS : Scleractinia Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CUX : Holothuroidea | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FRA | | | | | 0 | | | | | |
| GBR | | | 0 | | 0 | 0 | | | | |
| NZL | | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| RUS | | | | | 0 | | | | | |
| UKR | | | | | | | | | 0 | |
| URY | | | 0 | 0 | | | | | | |
| CUX : Holothuroidea Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CVN : Chiasmodon niger | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | | |
| CVN : Chiasmodon niger Total | | | | | | | 0 | 0 | | |
| CWS : Careproctus spp | | | | | | | | | | |
| CHL | | | | | | | 0 | | | |
| NZL | | | | | | 0 | | | | |
| CWS : Careproctus spp Total | | | | | | 0 | 0 | | | |
| CWX : Coelorinchus spp | | | | | | | | | | |
| CHL | | | | | | | | | | 3 |
| CWX : Coelorinchus spp Total | | | | | | | | | | 3 |
| CX1 : Chemosynthetic | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| CX1 : Chemosynthetic Total | | | | | | | | | | 0 |
| CYO : Centroscymnus coelolepis | | | | | | | | | | |
| FRA | | | | | | | | | | 0 |
| CYO : Centroscymnus coelolepis Total | | | | | | | | | | 0 |
| CZI : Centroscymnus spp | | | | | | | | | | |
| FRA | | | | | 0 | 0 | | 0 | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|------|------|------|------|------|------|------|------|------|------|
| CZI : Centroscymnus spp Total | | | | | 0 | 0 | | 0 | | |
| DAH : Dacodraco hunteri | | | | | | | | | | |
| KOR | | | | 0 | | | | | 0 | 0 |
| NOR | | | | | | 0 | | | | |
| NZL | | | | | | | | | | 0 |
| DAH : Dacodraco hunteri Total | | | | 0 | | 0 | | | 0 | 0 |
| DGL : Melamphaidae | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| DGL : Melamphaidae Total | | | | | | | | 0 | 0 | 0 |
| DGS : Squalus acanthias | | | | | | | | | | |
| FRA | | | | | | | | | 0 | |
| DGS : Squalus acanthias Total | | | | | | | | | 0 | |
| DMK : Adamussium colbecki | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| CHL | | | | | | | | | | 0 |
| DMK : Adamussium colbecki Total | | | | | | | | | | 0 |
| DMO : Demospongiae | | | | | | | | | | |
| AUS | | | | | 0 | 0 | | 0 | 0 | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | | | | 0 | | 0 | 0 | | 0 | 0 |
| NZL | | | | 0 | | | | | | |
| DMO : Demospongiae Total | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DQL : Lycenchelys hureaui | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| FRA | | | | | | | | 0 | | |
| DQL : Lycenchelys hureaui Total | | | | | | | | 0 | | 0 |
| DWD : Hyocrinidae | | | | | | | | | | |
| AUS | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| JPN | | | | | 0 | 0 | | | 0 | |
| NZL | | | | | | 0 | | | | |
| UKR | | 0 | | | | | | | | |
| DWD : Hyocrinidae Total | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| DWL : Cidaroida | | | | | | | | | | |
| AUS | | | | | 0 | 0 | 0 | | | 0 |
| CHL | | | | | | | | | | 0 |
| JPN | | | | | | | | | 0 | |
| NZL | | | | 0 | | 0 | | | | |
| DWL : Cidaroida Total | | | | 0 | 0 | 0 | 0 | | 0 | 0 |
| DWN : Astronesthes spp | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| DWN : Astronesthes spp Total | | | | | | | | | | 0 |
| DWQ : Malacalcyonacea | | | | | | | | | | |
| AUS | | | | | 0 | 0 | 0 | 0 | | 0 |
| CHL | | | | | | | | | | 0 |
| JPN | | | 0 | | | 0 | | | | 0 |
| DWQ : Malacalcyonacea Total | | | 0 | | 0 | 0 | 0 | 0 | | 0 |
| DWR : Scleralcyonacea | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 |
| KOR | 0 | | | | | | | | | |
| NZL | | | | 0 | | 0 | | | | |
| UKR | | 0 | | | | | | | | |
| DWR : Scleralcyonacea Total | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| ECH : Echinodermata | | | | | | | | | | |
| AUS | | 0 | | | 0 | | | | 0 | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| GBR | | | | | 0 | | | | | |
| NZL | | | | | 1 | 0 | | | | |
| ECH : Echinodermata Total | | 0 | | | 1 | 0 | | | 0 | |
| ECI : Echiodon cryomargarites | | | | | | | | | | |
| AUS | | | | | | | 0 | | | 0 |
| ECI : Echiodon cryomargarites Total | | | | | | | 0 | | | 0 |
| ELC : Electrona carlsbergi | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | | |
| CHL | | | | | | | | 0 | 0 | 0 |
| CHN | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GBR | | 0 | | 0 | | | | | | 0 |
| KOR | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| ELC : Electrona carlsbergi Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ELN : Electrona antarctica | | | | | | | | | | |
| CHL | | | | | | | 0 | 0 | 0 | |
| CHN | | | | | | | 0 | 0 | | |
| GBR | | | | 0 | | 0 | | | | 0 |
| NOR | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | | 0 | | 0 | | | | 0 | | |
| ELN : Electrona antarctica Total | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ELT : Electrona spp | | | | | | | | | | |
| AUS | | | | | | | | | 0 | 0 |
| NOR | | | | | | 0 | | 0 | | 0 |
| ELT : Electrona spp Total | | | | | | 0 | | 0 | 0 | 0 |
| ERN : Trematomus bernacchii | | | | | | | | | | |
| KOR | 0 | 0 | | | | | | 0 | | |
| ERN : Trematomus bernacchii Total | 0 | 0 | | | | | | 0 | | |
| ETF : Etmopterus lucifer | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 |
| ETF : Etmopterus lucifer Total | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 |
| ETM : Etmopterus granulosus | | | | | | | | | | |
| AUS | | 0 | 0 | 0 | 0 | 0 | | 0 | | |
| ETM : Etmopterus granulosus Total | | 0 | 0 | 0 | 0 | 0 | | 0 | | |
| EZT : Etmopterus viator | | | | | | | | | | |
| FRA | | | | | | | 1 | 3 | 3 | 6 |
| EZT : Etmopterus viator Total | | | | | | | 1 | 3 | 3 | 6 |
| FFX : Monacanthidae | | | | | | | | | | |
| JPN | | | | | | | | | | 0 |
| FFX : Monacanthidae Total | | | | | | | | | | 0 |
| FIC : Cryodraco antarcticus | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| CHL | | | | | 0 | | 0 | 0 | 0 | 0 |
| CHN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ESP | 0 | | | | | | | | | |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| URY | | | | | 0 | | | | | |
| ZAF | | | | | 0 | | | | | |
| FIC : Cryodraco antarcticus Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GAS : Gastropoda | | | | | | | | | | |
| AUS | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | 0 | | |
| GAS : Gastropoda Total | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|--------------|--------------|--------------|------------|--------------|------------|------------|--------------|--------------|--------------|
| GDR : Gymnodraco acuticeps | | | | | | | | | | |
| CHL | | | | | 0 | | 0 | 0 | 0 | |
| CHN | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| NZL | | | | | | 0 | | | | |
| UKR | | | | | 0 | 0 | | 0 | | |
| GDR : Gymnodraco acuticeps Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GEA : Gerlachea australis | | | | | | | | | | |
| KOR | | | | | | | | 0 | 0 | 0 |
| NOR | | | | | | | 0 | | | |
| GEA : Gerlachea australis Total | | | | | | | 0 | 0 | 0 | 0 |
| GEP : Gempylidae | | | | | | | | | | |
| CHL | | | | | | | 0 | | 0 | |
| KOR | 0 | | | | | | | | | |
| NOR | | | 0 | 0 | 0 | 0 | | 0 | 0 | |
| GEP : Gempylidae Total | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| GHP : Patagonotothen guntheri | | | | | | | | | | |
| GBR | | 111 | | 1 | | 7 | | 2 | | 12 |
| KOR | 0 | | | | | | | | | |
| NOR | | | | | | | 0 | | | |
| GHP : Patagonotothen guntheri Total | 0 | 111 | | 1 | | 7 | 0 | 2 | | 12 |
| GR1 : Macrourus caml/whitsoni | | | | | | | | | | |
| AUS | | | 79 | 89 | 100 | 101 | 48 | 64 | 45 | 48 |
| GR1 : Macrourus caml/whitsoni Total | | | 79 | 89 | 100 | 101 | 48 | 64 | 45 | 48 |
| GR2 : Macrourus carinatus/holotrachys | | | | | | | | | | |
| AUS | | | 226 | 235 | 253 | 250 | 59 | 143 | 113 | 129 |
| CHL | | | | | | | | | | 0 |
| GR2 : Macrourus carinatus/holotrachys Total | | | 226 | 235 | 253 | 250 | 59 | 143 | 113 | 129 |
| GRV : Macrourus spp | | | | | | | | | | |
| AUS | 176 | 314 | 23 | 20 | 28 | 13 | 3 | 13 | 24 | 41 |
| CHL | 3 | 3 | 4 | 2 | 16 | 6 | 10 | | | 2 |
| ESP | 16 | 5 | 42 | 13 | 16 | 13 | 5 | 8 | 11 | 4 |
| FRA | 860 | 707 | 816 | 761 | 757 | 602 | 505 | 767 | 759 | 822 |
| GBR | 99 | 59 | 93 | 35 | 73 | 132 | 87 | 96 | 187 | 79 |
| JPN | 3 | 5 | 7 | 6 | 12 | 4 | 3 | 4 | 7 | 10 |
| KOR | 0 | 3 | 7 | 36 | 18 | 23 | 60 | 53 | 69 | 64 |
| NOR | 12 | 24 | | 7 | 13 | | | | | |
| NZL | 67 | 51 | 70 | 49 | 50 | 53 | 43 | 57 | 27 | 18 |
| RUS | 5 | 3 | 11 | 0 | 3 | 12 | 1 | | | |
| UKR | 2 | 3 | 5 | 2 | 11 | 22 | 28 | 23 | 45 | 63 |
| URY | 3 | 4 | 2 | 12 | 25 | 24 | 33 | 14 | 25 | 41 |
| ZAF | 19 | 22 | 19 | 11 | 23 | 6 | 15 | 15 | 3 | |
| GRV : Macrourus spp Total | 1,265 | 1,203 | 1,100 | 952 | 1,045 | 910 | 794 | 1,050 | 1,157 | 1,144 |
| GSX : Gonostoma spp | | | | | | | | | | |
| CHL | | | | | | | 0 | | | |
| GSX : Gonostoma spp Total | | | | | | | 0 | | | |
| GUX : Triglididae | | | | | | | | | | |
| JPN | | | | | | | | | | 0 |
| GUX : Triglididae Total | | | | | | | | | | 0 |
| GYB : Gymnoscopelus bolini | | | | | | | | | | |
| AUS | | | | | | | | 0 | | 0 |
| GBR | | | | | | 0 | | | | |
| NZL | | | | | | 0 | | | | |
| GYB : Gymnoscopelus bolini Total | | | | | | 0 | | 0 | | 0 |
| GYF : Gymnoscopelus fraseri | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| GYF : Gymnoscopelus fraseri Total | | | | | | 0 | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| GYJ : Gymnoscopelus hintonoides | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| GYJ : Gymnoscopelus hintonoides Total | | | | | | 0 | | | | |
| GYN : Gymnoscopelus nicholsi | | | | | | | | | | |
| AUS | | | | | | | | 0 | | 0 |
| CHL | | | 0 | | 0 | | 0 | 0 | 0 | |
| CHN | | | 0 | | | | 0 | | 0 | |
| GBR | | 0 | | 0 | | 0 | | 0 | | 0 |
| KOR | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | | | | 0 | | 0 | | 0 | 0 | 0 |
| GYN : Gymnoscopelus nicholsi Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GYO : Gymnoscopelus opisthopterus | | | | | | | | | | |
| GBR | | | | | | | | | | 0 |
| NZL | | | | | | 0 | | | | |
| GYO : Gymnoscopelus opisthopterus Total | | | | | | 0 | | | | 0 |
| GYR : Gymnoscopelus braueri | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| GYR : Gymnoscopelus braueri Total | | | | | | 0 | | 0 | | |
| GYT : Gymnoscopelus spp | | | | | | | | | | |
| AUS | | | | | | | | | 0 | 0 |
| CHL | 0 | | | | | | | 0 | | |
| GBR | | | | | | 0 | | | | 0 |
| KOR | 0 | | | | | | | | | |
| GYT : Gymnoscopelus spp Total | 0 | | | | | 0 | | 0 | 0 | 0 |
| HAN : Bythaelurus canescens | | | | | | | | | | |
| NOR | | | 0 | | | | | | | |
| HAN : Bythaelurus canescens Total | | | 0 | | | | | | | |
| HGW : Harpagifer antarcticus | | | | | | | | | | |
| NOR | | | | | | | | 0 | | |
| HGW : Harpagifer antarcticus Total | | | | | | | | 0 | | |
| HHJ : Achiropsetta tricholepis | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| GBR | | | | | | | | | | 0 |
| NOR | | | | 0 | | | | | | |
| HHJ : Achiropsetta tricholepis Total | | | | 0 | | | | | | 0 |
| HIB : Histiobranchus bathybius | | | | | | | | | | |
| KOR | | | | | | | | | | 0 |
| NOR | | | | | | 0 | | | | |
| URY | | | | | | | | | | 0 |
| HIB : Histiobranchus bathybius Total | | | | | | 0 | | | | 0 |
| HQZ : Hydrozoa | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| JPN | | 0 | | | 0 | | | | | |
| NZL | | | | | | 0 | | | | |
| HQZ : Hydrozoa Total | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| HXY : Hexactinellida | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| CHL | | | | | 0 | | | | | 0 |
| JPN | | | | | | | | | | 0 |
| NZL | | | | 0 | | | | | | |
| UKR | | 0 | | | | | | | | |
| HXY : Hexactinellida Total | | 0 | | 0 | 0 | | | 0 | 0 | 0 |
| HYD : Hydrolagus spp | | | | | | | | | | |
| URY | | | | | | | | | | 0 |
| HYD : Hydrolagus spp Total | | | | | | | | | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|
| ICA : <i>Icichthys australis</i> | | | | | | | | | | |
| AUS | | | | | | | 0 | | 0 | 0 |
| KOR | | | | 0 | | 0 | | | | |
| NOR | | | | 0 | 0 | | 0 | 0 | 0 | 0 |
| ICA : <i>Icichthys australis</i> Total | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ICK : <i>Cryodraco atkinsoni</i> | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| ICK : <i>Cryodraco atkinsoni</i> Total | | | | | | 0 | | | | |
| ICX : Channichthyidae | | | | | | | | | | |
| AUS | 0 | 3 | 0 | 1 | 3 | 2 | 1 | 2 | 3 | 2 |
| CHL | | | | | 0 | | | 0 | | |
| CHN | | 0 | 0 | 0 | | 0 | | 0 | 0 | 2 |
| ESP | | | 0 | | 0 | 0 | 0 | 1 | 2 | 1 |
| FRA | | | | 0 | | | | | | |
| GBR | 0 | 5 | 4 | 1 | 1 | 2 | 10 | 4 | 14 | 0 |
| JPN | | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 3 | 3 |
| KOR | 0 | 0 | 1 | 3 | 0 | 1 | 1 | 1 | 7 | 3 |
| NOR | 1 | 3 | 4 | 2 | 2 | 0 | 1 | 0 | 0 | 0 |
| NZL | 2 | 5 | 9 | 3 | 3 | 2 | 11 | 7 | 10 | 6 |
| RUS | 0 | 0 | 0 | 0 | | 1 | | | | |
| UKR | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 |
| URY | | | | 0 | 1 | 0 | 2 | | 3 | |
| ZAF | | 0 | 0 | 0 | | | 0 | | | |
| ICX : Channichthyidae Total | 3 | 17 | 18 | 10 | 11 | 9 | 27 | 17 | 43 | 18 |
| INV : Invertebrata | | | | | | | | | | |
| AUS | | | 0 | 0 | 0 | 0 | 2 | 0 | | 0 |
| CHN | | | | | | | 0 | | | |
| NZL | 0 | 0 | 0 | 0 | | 0 | | | | |
| UKR | | | | 0 | 0 | | | | | |
| INV : Invertebrata Total | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | | 0 |
| ISH : Isopoda | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| ISH : Isopoda Total | | | | | | 0 | 0 | 0 | 0 | 0 |
| JIC : <i>Neopagetopsis ionah</i> | | | | | | | | | | |
| CHL | | | | | 0 | | 0 | 0 | 0 | 0 |
| CHN | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| NZL | | | | | | 0 | | | | 0 |
| UKR | 0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| JIC : <i>Neopagetopsis ionah</i> Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| KCF : <i>Paralomis formosa</i> | | | | | | | | | | |
| GBR | | | | 0 | | | | | | |
| KOR | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| KCF : <i>Paralomis formosa</i> Total | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| KCM : <i>Lithodes murrayi</i> | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| FRA | | | | | | | | 0 | | |
| KOR | | | | | | | | | 0 | |
| KCM : <i>Lithodes murrayi</i> Total | | | | | | | | 0 | 0 | 0 |
| KCU : <i>Paralomis aculeata</i> | | | | | | | | | | |
| AUS | | 0 | | 0 | 0 | | | 0 | | |
| FRA | | | | | | | | 1 | 0 | 0 |
| KCU : <i>Paralomis aculeata</i> Total | | 0 | | 0 | 0 | | | 1 | 0 | 0 |
| KCV : <i>Paralomis spinosissima</i> | | | | | | | | | | |
| GBR | | 0 | | 0 | | 0 | | | | 0 |
| UKR | | | | 0 | | | | | | |
| KCV : <i>Paralomis spinosissima</i> Total | | 0 | | 0 | | 0 | | | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| KCX : Lithodidae | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | 0 | | | |
| FRA | | | | | | | | | 0 | 0 |
| GBR | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| JPN | 0 | | 0 | 0 | | | | | | |
| KOR | | | | | | | | | | 0 |
| NOR | 0 | | | | | | | | | |
| NZL | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| RUS | 0 | 0 | | | 0 | 0 | 0 | | | |
| UKR | | | | | | | 0 | 0 | 0 | 0 |
| URY | | | | | | | 0 | | 0 | 0 |
| ZAF | 0 | 0 | | | | | | | | |
| KCX : Lithodidae Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| KCZ : Lithodes spp | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| CHL | | | | | | | | 0 | | |
| RUS | | | | | 0 | | | | | |
| KCZ : Lithodes spp Total | | | | | 0 | | | 0 | 0 | 0 |
| KDD : Paralomis anamerae | | | | | | | | | | |
| KOR | | | 0 | | | | | | | |
| KDD : Paralomis anamerae Total | | | 0 | | | | | | | |
| KIF : Chionodraco rastrispinosus | | | | | | | | | | |
| CHL | | | 0 | | 0 | | 0 | 0 | 1 | 0 |
| CHN | | | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| KOR | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| NOR | | | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| UKR | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| KIF : Chionodraco rastrispinosus Total | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 2 |
| KRA : Krefftichthys anderssoni | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| CHL | | | | | | | 0 | | | |
| CHN | | | | | | | 0 | | | |
| KOR | 0 | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| UKR | | | | | | 0 | | | | |
| KRA : Krefftichthys anderssoni Total | 0 | | | | | 0 | 0 | | | 0 |
| KRI : Euphausia superba | | | | | | | | | | |
| CHL | 9,278 | 7,279 | 3,708 | | 14,060 | 21,131 | 21,670 | 22,382 | 18,831 | 18,723 |
| CHN | 54,303 | 35,427 | 65,018 | 38,113 | 40,742 | 50,392 | 118,353 | 47,605 | 59,194 | 72,591 |
| KOR | 55,406 | 23,342 | 23,071 | 34,506 | 36,005 | 42,939 | 44,567 | 37,984 | 30,896 | 35,781 |
| NOR | 165,899 | 147,075 | 160,941 | 156,884 | 207,103 | 250,814 | 245,421 | 241,375 | 297,581 | 285,132 |
| NZL | | | | | | 0 | | | | |
| UKR | 8,929 | 12,523 | 7,412 | 7,949 | 15,080 | 22,427 | 20,770 | 22,179 | 9,006 | 11,977 |
| KRI : Euphausia superba Total | 293,814 | 225,646 | 260,150 | 237,452 | 312,990 | 387,703 | 450,782 | 371,526 | 415,508 | 424,203 |
| KRT : Euphausia triacantha | | | | | | | | | | |
| CHL | | | | | | | | 0 | | |
| KRT : Euphausia triacantha Total | | | | | | | | 0 | | |
| KRX : Euphausia spp | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| KRX : Euphausia spp Total | | | | | | 0 | | | | |
| KZU : Labidiaster annulatus | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| KZU : Labidiaster annulatus Total | | | | | | | | 0 | | |
| LAG : Lampris guttatus | | | | | | | | | | |
| ESP | | | | | | 0 | | 0 | | 0 |
| UKR | | | | | | | | | | 0 |
| LAG : Lampris guttatus Total | | | | | | 0 | | 0 | | 0 |
| LAI : Lampris immaculatus | | | | | | | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|------------|-----------|------------|------------|-----------|------------|------------|-----------|------------|-----------|
| AUS | | | 0 | 0 | | 0 | | | | |
| CHL | | | | | | | 0 | | | |
| ESP | | | 0 | 0 | | | 0 | | 0 | |
| FRA | | 1 | | | | | | | | |
| KOR | | | | | | | | 0 | | |
| NZL | 0 | | | | | | | | | |
| UKR | | | | | | | | 0 | | |
| LAI : Lampris immaculatus Total | 0 | 1 | 0 | 0 | | 0 | 0 | 0 | 0 | |
| LCN : Lycodichthys antarcticus | | | | | | | | | | |
| NZL | | | | | | 0 | | | 0 | |
| UKR | | | | 0 | | | | | | |
| LCN : Lycodichthys antarcticus Total | | | | 0 | | 0 | | | 0 | |
| LEF : Bothidae | | | | | | | | | | |
| AUS | | | 0 | | 0 | 0 | 0 | 0 | | |
| LEF : Bothidae Total | | | 0 | | 0 | 0 | 0 | 0 | | |
| LEV : Lepidion spp | | | | | | | | | | |
| AUS | | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 |
| ESP | | | 0 | | | | | | | |
| FRA | | | | | | | | | | 0 |
| GBR | | | | | | 0 | | 0 | 0 | |
| KOR | | | | | | | | | 0 | |
| NZL | 0 | | 0 | | | 0 | | 0 | | |
| RUS | | 0 | | | | | | | | |
| UKR | | | | | | | | 0 | | |
| URY | | | | | | | | | | 0 |
| LEV : Lepidion spp Total | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| LIC : Channichthys rhinocerus | | | | | | | | | | |
| AUS | 146 | 12 | 123 | 109 | 39 | 153 | 236 | 81 | 168 | 45 |
| CHN | | | 0 | | | | | | | |
| FRA | | 0 | | 0 | | | | | | |
| NOR | | | | 0 | | | | | | |
| LIC : Channichthys rhinocerus Total | 146 | 12 | 123 | 109 | 39 | 153 | 236 | 81 | 168 | 45 |
| LPE : Lepidion ensiferus | | | | | | | | | | |
| URY | | | | | | | | | | 0 |
| LPE : Lepidion ensiferus Total | | | | | | | | | | 0 |
| LPX : Liparidae | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| CHN | | | 0 | | | | | | | |
| GBR | | | | | | | | 0 | | 0 |
| JPN | | | | 0 | | | | | | |
| NOR | | | | | | 0 | | | | |
| RUS | | 0 | | | | | | | | |
| LPX : Liparidae Total | | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 |
| LVD : Zoarcidae | | | | | | | | | | |
| AUS | | | 0 | | 0 | | 0 | | | |
| CHN | | | | | | | 0 | | | |
| GBR | | 0 | | | | 0 | | | | |
| KOR | | | 0 | | 0 | | | 0 | | |
| NOR | 0 | | | | | | | | | |
| NZL | | | | | 0 | | 0 | | 0 | 0 |
| RUS | | 0 | | | | | | | | |
| UKR | | | | | 0 | | 0 | | | |
| LVD : Zoarcidae Total | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| LXX : Myctophidae | | | | | | | | | | |
| AUS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | 3 | 0 | 0 | 0 | |
| CHN | | | | | | 0 | 0 | 0 | | |
| GBR | | | | 0 | | | | | | |
| KOR | 0 | 0 | | | | | | | | |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | | 0 | | | | | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| LXX : Myctophidae Total | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 15 | 0 |
| LYA : Ophthalmolycus amberensis | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| NOR | | 0 | | | | | | | | |
| LYA : Ophthalmolycus amberensis Total | | 0 | | | 0 | | | | | |
| LYZ : Lycodapus antarcticus | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | 0 | 0 |
| LYZ : Lycodapus antarcticus Total | | | | | | | 0 | 0 | 0 | 0 |
| MAP : Magnisudis prionosa | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| CHL | | | | | 0 | | | | | |
| CHN | | | | | | | 0 | | | |
| KOR | 0 | | | 0 | | 0 | 0 | | 0 | |
| NOR | | | | 0 | 0 | | 0 | 0 | 0 | 0 |
| UKR | | | | | | | | 0 | 0 | 0 |
| MAP : Magnisudis prionosa Total | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MCC : Macrourus carinatus | | | | | | | | | | |
| AUS | | | | | 0 | 0 | | 0 | 0 | 0 |
| CHL | | | | | | | 0 | | | |
| NZL | | | | 0 | | | | | | |
| UKR | | | | | | | 0 | | | |
| MCC : Macrourus carinatus Total | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MCH : Macrourus holotrachys | | | | | | | | | | |
| AUS | | | | | | | | 8 | 0 | 0 |
| CHL | | | | | 0 | | | | | |
| CHN | | | | | | | | 0 | | |
| KOR | | | 4 | 1 | | | | | | |
| RUS | 0 | | | | | | | | | |
| UKR | | | | 1 | | | | | | 0 |
| MCH : Macrourus holotrachys Total | 0 | | 4 | 2 | 0 | | | 8 | 0 | 0 |
| MEL : Melanostigma spp | | | | | | | | | | |
| AUS | | | | | 0 | | | | 0 | 0 |
| GBR | | 0 | | | | | | | | |
| MEL : Melanostigma spp Total | | 0 | | | 0 | | | | 0 | 0 |
| MHJ : Halargyreus johnsonii | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | |
| CHN | | 0 | | | | | | | | |
| URY | | | | | | | | | | 0 |
| MHJ : Halargyreus johnsonii Total | | 0 | | | | | | 0 | 0 | 0 |
| MIC : Chionodraco myersi | | | | | | | | | | |
| CHN | | | | | | | | 0 | | |
| NOR | | | 0 | 0 | | | | | 0 | 0 |
| MIC : Chionodraco myersi Total | | | 0 | 0 | | | | 0 | 0 | 0 |
| MLG : Melanonus gracilis | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| MLG : Melanonus gracilis Total | | | | | | | | 0 | 0 | 0 |
| MMM : Mancopsetta maculata | | | | | | | | | | |
| AUS | | | | | | 0 | | 0 | 0 | 0 |
| CHL | 0 | | | | | | | | | |
| GBR | | 0 | | 0 | | 0 | | | | 0 |
| NOR | | | | | | | | 0 | | 0 |
| MMM : Mancopsetta maculata Total | 0 | 0 | | 0 | | 0 | | 0 | 0 | 0 |
| MNI : Cynomacrus piriei | | | | | | | | | | |
| AUS | | | | | 0 | | | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| MNI : Cynomacrus piriei Total | | | | | 0 | 0 | | 0 | 0 | 0 |
| MOL : Mollusca | | | | | | | | | | |
| AUS | | 0 | | | | | 0 | 0 | 0 | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|-----------|----------|----------|----------|----------|-----------|----------|-----------|-----------|----------|
| NZL | | | | | | 0 | | 0 | | 0 |
| MOL : Mollusca Total | | 0 | | | | 0 | 0 | 0 | 0 | 0 |
| MOR : Moridae | | | | | | | | | | |
| AUS | | | | | | | | | 0 | |
| MOR : Moridae Total | | | | | | | | | 0 | |
| MOY : Muraenolepis microps | | | | | | | | | | |
| AUS | 0 | 0 | 0 | | 0 | | 0 | 0 | | |
| CHL | | | | | 0 | | 0 | | | 1 |
| CHN | | | | | | | 0 | | | |
| ESP | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| FRA | | | | | | 0 | 0 | | 0 | 0 |
| GBR | | 0 | | 0 | | 0 | | | | |
| KOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| NOR | | 0 | 0 | | 0 | 0 | 0 | 0 | | 0 |
| NZL | | | | | | | | | | 0 |
| RUS | 0 | 0 | 0 | | 0 | | | | | |
| UKR | 0 | | | | 0 | 0 | 0 | | 0 | 1 |
| MOY : Muraenolepis microps Total | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 5 |
| MRL : Muraenolepis spp | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 |
| CHL | 0 | | | | | | | | | |
| CHN | | | 0 | | 0 | 0 | 0 | | | |
| ESP | 0 | | 0 | | | | | | | |
| FRA | | | | 0 | 0 | 0 | | | 0 | |
| GBR | 6 | 2 | 1 | 0 | 1 | 5 | 2 | 9 | 8 | 0 |
| JPN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| KOR | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| NOR | 1 | 2 | 0 | 1 | 1 | | 0 | | | |
| NZL | 3 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 1 |
| RUS | 0 | 1 | 0 | | 0 | 8 | 0 | | | |
| UKR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| URY | | | | 0 | 0 | 0 | 1 | | 0 | 0 |
| ZAF | 0 | | 0 | 0 | 0 | | 0 | 0 | | |
| MRL : Muraenolepis spp Total | 10 | 8 | 3 | 3 | 3 | 15 | 5 | 14 | 12 | 5 |
| MVC : Muraenolepis marmorata | | | | | | | | | | |
| FRA | | | | | | | | 0 | 0 | 0 |
| GBR | | | | | | | | 0 | | 0 |
| KOR | 0 | | 0 | | | | | | | |
| MVC : Muraenolepis marmorata Total | 0 | | 0 | | | | | 0 | 0 | 0 |
| MWG : Melanostigma gelatinosum | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | | 0 |
| CHL | | | | | | | 0 | | | |
| KOR | 0 | | | | | | | | | |
| NOR | | | | | | 0 | | | | 0 |
| MWG : Melanostigma gelatinosum Total | 0 | | | | | 0 | 0 | 0 | | 0 |
| MWO : Muraenolepis orangiensis | | | | | | | | | | |
| KOR | | 0 | | | | | | | | |
| MWO : Muraenolepis orangiensis Total | | 0 | | | | | | | | |
| MZZ : Actinopterygii | | | | | | | | | | |
| GBR | | 0 | | | | | | | | |
| KOR | 0 | | | | | | | | | |
| NOR | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| MZZ : Actinopterygii Total | 0 | 0 | | | | 0 | | 0 | | |
| NAN : Nansenia spp | | | | | | | | | | |
| KOR | 0 | | | | | | | | | |
| NAN : Nansenia spp Total | 0 | | | | | | | | | |
| NCM : Notocrangon antarcticus | | | | | | | | | | |
| GBR | | | | | | | | | | 0 |
| NCM : Notocrangon antarcticus Total | | | | | | | | | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| NDW : Neolithodes diomedae | | | | | | | | | | |
| GBR | | | | | | | | | | 0 |
| KOR | | | 0 | 0 | | | | | 0 | |
| UKR | | | | | | 0 | | | | |
| NDW : Neolithodes diomedae Total | | | 0 | 0 | | 0 | | | 0 | 0 |
| NEX : Nephropidae | | | | | | | | | | |
| AUS | | | | | | | | | 0 | 0 |
| NEX : Nephropidae Total | | | | | | | | | 0 | 0 |
| NHE : Annelida | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| NZL | | | | | | 0 | | | | |
| NHE : Annelida Total | | | | | | 0 | | | | 0 |
| NNN : Notacanthus chemnitzii | | | | | | | | | | |
| AUS | | | | | | | | 0 | | 0 |
| NNN : Notacanthus chemnitzii Total | | | | | | | | 0 | | 0 |
| NNV : Notolepis annulata | | | | | | | | | | |
| NOR | | | | 0 | | | | | | |
| NNV : Notolepis annulata Total | | | | 0 | | | | | | |
| NNY : Nototheniops nybelini | | | | | | | | | | |
| GBR | | | | | | | 0 | | | |
| KOR | | | | | | | | 0 | | |
| NNY : Nototheniops nybelini Total | | | | | | | 0 | 0 | | |
| NOA : Gobionotothen acuta | | | | | | | | | | |
| AUS | 4 | 0 | 2 | 3 | 2 | 3 | 3 | 1 | 1 | 1 |
| CHL | | | | | 0 | | | | | |
| FRA | | | | 0 | | | | | | |
| NOA : Gobionotothen acuta Total | 4 | 0 | 2 | 3 | 2 | 3 | 3 | 1 | 1 | 1 |
| NOC : Notothenia coriiceps | | | | | | | | | | |
| AUS | | | 0 | | | 0 | | | | |
| CHL | | | | | 0 | | 0 | 0 | | |
| CHN | 0 | | 0 | 0 | | 0 | 0 | | | |
| ESP | | | 0 | | | | | | | |
| KOR | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| RUS | | 0 | | | | | | | | |
| UKR | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| NOC : Notothenia coriiceps Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| NOD : Lindbergichthys nudifrons | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| CHN | | | | | | | 0 | | | |
| GBR | | 0 | | 0 | | 0 | | 0 | | 0 |
| KOR | 0 | | 0 | 0 | | | | 0 | 0 | |
| NOR | | | | | 0 | 0 | 0 | 0 | 0 | |
| NOD : Lindbergichthys nudifrons Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOE : Notolepis spp | | | | | | | | | | |
| CHL | | | 0 | | 0 | | 0 | 0 | | 0 |
| NOR | | | | | | | 0 | 0 | 0 | |
| NOE : Notolepis spp Total | | | 0 | | 0 | | 0 | 0 | 0 | 0 |
| NOG : Gobionotothen gibberifrons | | | | | | | | | | |
| CHL | 0 | | 0 | | 0 | | 0 | 0 | 0 | 0 |
| CHN | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| FRA | | | | | | | | | | 0 |
| GBR | | 1 | | 1 | | 1 | | 1 | | 1 |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 |
| UKR | | | | | 0 | 0 | 0 | 0 | | 0 |
| NOG : Gobionotothen gibberifrons Total | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 4 | 1 | 4 |
| NOL : Nototheniops larseni | | | | | | | | | | |
| CHL | 0 | | | | 0 | | 0 | 0 | 0 | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|
| CHN | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| GBR | | 0 | | 0 | 0 | 0 | | 0 | | 0 |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UKR | 0 | 0 | 0 | 0 | 0 | | | 0 | | |
| NOL : Nototheniops larseni Total | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOM : Paranotothenia magellanica | | | | | | | | | | |
| AUS | | | | | | | | | 0 | |
| FRA | | 0 | | | | | | | | |
| NOR | | | | | | | 0 | | | 0 |
| NOM : Paranotothenia magellanica Total | | 0 | | | | | 0 | | 0 | 0 |
| NON : Notothenia neglecta | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| KOR | | | | 0 | | | | | | |
| NOR | | | 0 | | | | 0 | | 0 | 0 |
| NON : Notothenia neglecta Total | | | 0 | 0 | | | 0 | | 0 | 0 |
| NOR : Notothenia rossii | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| CHL | 1 | | 0 | | 17 | | 0 | 0 | 0 | 0 |
| CHN | | 0 | | | 0 | | 1 | | 0 | |
| FRA | | | | 0 | | | | | | |
| GBR | | 4 | | 4 | | 7 | | 2 | | 4 |
| KOR | 1 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| NOR | | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| RUS | 0 | | | | | | | | | |
| NOR : Notothenia rossii Total | 2 | 4 | 0 | 4 | 17 | 7 | 1 | 3 | 0 | 5 |
| NOS : Lepidonotothen squamifrons | | | | | | | | | | |
| AUS | 7 | 3 | 3 | 1 | 4 | 2 | 5 | 3 | 3 | 2 |
| CHL | 0 | | | | 0 | | | | 0 | |
| CHN | 0 | 0 | | | | | | 0 | | |
| ESP | 0 | | 0 | 0 | | | 0 | | | |
| FRA | | 0 | | 0 | 0 | 0 | | 0 | 0 | 1 |
| GBR | | 2 | 0 | 2 | 0 | 1 | | 2 | 0 | 1 |
| JPN | | | 0 | | | | | | | |
| KOR | | 0 | 0 | 0 | | 0 | | | | |
| NOR | | 0 | | | 0 | | 0 | | | 0 |
| NZL | 0 | 0 | 0 | 0 | | 0 | | | | 0 |
| RUS | | 1 | 0 | | | | | | | |
| UKR | | 0 | | | | 0 | 0 | | 0 | |
| URY | | | | | 0 | | | | | |
| NOS : Lepidonotothen squamifrons Total | 7 | 6 | 3 | 2 | 4 | 3 | 5 | 4 | 3 | 5 |
| NOT : Patagonotothen breviceauda | | | | | | | | | | |
| CHL | | | | | 0 | | | | | 0 |
| CHN | | | | | | | | 0 | | |
| NOT : Patagonotothen breviceauda Total | | | | | 0 | | | 0 | | 0 |
| NOX : Nototheniidae | | | | | | | | | | |
| AUS | | 0 | 0 | | 0 | 0 | 0 | 0 | 1 | 0 |
| CHL | | | | | | | 0 | | | |
| CHN | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ESP | | | 0 | | 0 | | | | | |
| GBR | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| JPN | 0 | | | | | | | | | 0 |
| KOR | 0 | | | | | 0 | 0 | | | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| NZL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RUS | 0 | 0 | 0 | | | 0 | | | | |
| UKR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| URY | | | | | | 0 | 0 | | 0 | |
| NOX : Nototheniidae Total | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| NOZ : Lindbergichthys mizops | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| NOZ : Lindbergichthys mizops Total | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| NRD : Arctozenus risso | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| NRD : Arctozenus risso Total | | | | | | | | | | 0 |
| NSZ : Nansenia antarctica | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| NSZ : Nansenia antarctica Total | | | | | | | | | | 0 |
| NTO : Notolepis coatsi | | | | | | | | | | |
| AUS | | | | | | | | | 0 | |
| CHL | | | | | 0 | | | 0 | 0 | |
| CHN | | | 0 | | | 0 | 0 | 0 | 0 | 0 |
| KOR | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | 0 | | |
| UKR | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| NTO : Notolepis coatsi Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NTW : Pennatuloidea | | | | | | | | | | |
| AUS | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| KOR | 0 | | | | | | | | | |
| NZL | | | | 0 | | 0 | | | | |
| UKR | | 0 | | | | | | | | |
| NTW : Pennatuloidea Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OCP : Ocosia apia | | | | | | | | | | |
| AUS | | | | | 0 | | 0 | | | |
| CHL | | | | | | | | | | 0 |
| OCP : Ocosia apia Total | | | | | 0 | | 0 | | | 0 |
| OCT : Octopodidae | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | 0 | | | | | 0 |
| ESP | 0 | | | | | | | | 0 | 0 |
| FRA | | | | | 0 | | | | 0 | |
| GBR | 0 | 0 | 0 | 0 | | 0 | 0 | | | |
| KOR | | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| NOR | | 0 | | 0 | 0 | | | | | |
| NZL | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| RUS | | 0 | | | 0 | 0 | 0 | | | |
| UKR | | | | | | 0 | 0 | 0 | 0 | 0 |
| URY | | | | | | 0 | 0 | | 0 | |
| OCT : Octopodidae Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OEQ : Euryalida | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| JPN | | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| NZL | | | | 0 | | | | | | |
| OEQ : Euryalida Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OIJ : Moroteuthopsis ingens | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| CHN | | | | | 0 | 0 | 0 | | | |
| KOR | 0 | | | | 0 | 0 | 0 | 0 | 0 | |
| NOR | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UKR | | | | | 0 | | | | 0 | 0 |
| OIJ : Moroteuthopsis ingens Total | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOY : Ophiurida | | | | | | | | | | |
| AUS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| OOY : Ophiurida Total | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OPH : Ophidiidae | | | | | | | | | | |
| URY | | | | | | | | | | 0 |
| OPH : Ophidiidae Total | | | | | | | | | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| OSG : Spectrunculus grandis | | | | | | | | | | |
| FRA | | | | | | | | 0 | | |
| URY | | | | | | | | | | 0 |
| OSG : Spectrunculus grandis Total | | | | | | | | 0 | | 0 |
| OWP : Ophiuroidea | | | | | | | | | | |
| AUS | 0 | | 0 | 0 | 0 | | | | | |
| JPN | | | 0 | | | | | | | |
| KOR | 0 | | | | | | | | | 0 |
| NZL | | | | 0 | | 0 | | 0 | | |
| RUS | | | | | | | 0 | | | |
| OWP : Ophiuroidea Total | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| PAI : Paralomis spp | | | | | | | | | | |
| AUS | | | | | | 0 | 0 | | | |
| KOR | | | | | | 0 | | | | |
| RUS | | | | | 0 | | 0 | | | |
| PAI : Paralomis spp Total | | | | | 0 | 0 | 0 | | | |
| PAT : Patagonotothen ramsayi | | | | | | | | | | |
| GBR | | | | | | | | | | 0 |
| PAT : Patagonotothen ramsayi Total | | | | | | | | | | 0 |
| PCH : Parachaenichthys charcoti | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| CHN | | | | | | | 0 | 0 | 0 | |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | | | | 0 | 0 | 0 | 0 | 0 |
| UKR | | | | | | | | 0 | | 0 |
| PCH : Parachaenichthys charcoti Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PDG : Paradiplospinus gracilis | | | | | | | | | | |
| AUS | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| CHL | 0 | | | | | | | | | |
| CHN | | | 0 | | | 0 | | | 0 | |
| GBR | | 0 | | 0 | | | | 0 | | |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| PDG : Paradiplospinus gracilis Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PDZ : Pandalidae | | | | | | | | | | |
| AUS | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| CHN | | | 0 | | | | | | | |
| KOR | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| RUS | | | | | | | 0 | | | |
| PDZ : Pandalidae Total | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| PEN : Penaeus spp | | | | | | | | | | |
| GBR | | | | | | 0 | | | | |
| PEN : Penaeus spp Total | | | | | | 0 | | | | |
| PEV : Prionodraco evansii | | | | | | | | | | |
| NOR | | | | | | | | | | 0 |
| PEV : Prionodraco evansii Total | | | | | | | | | | 0 |
| PEY : Scopelarchidae | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| PEY : Scopelarchidae Total | | | | | | 0 | | | | |
| PFR : Porifera | | | | | | | | | | |
| AUS | 2 | 1 | 1 | 0 | 4 | 1 | 2 | 1 | 1 | 1 |
| CHL | | | | | 0 | | | | | |
| GBR | | | | | 0 | | | | | |
| JPN | | 0 | | | | | | | | |
| KOR | 0 | | | | | | | | | |
| NZL | | | | 0 | | 0 | | | | |
| PFR : Porifera Total | 2 | 1 | 1 | 0 | 4 | 1 | 2 | 1 | 1 | 1 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| PGE : Parachaenichthys georgianus | | | | | | | | | | |
| CHL | 0 | | | | | | 0 | 0 | 0 | |
| GBR | | 0 | | 0 | | 0 | | 0 | | 0 |
| KOR | 0 | | | | | | | | | |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PGE : Parachaenichthys georgianus Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PGM : Pogonophryne marmorata | | | | | | | | | | |
| AUS | | | | | | 0 | | | | |
| CHL | | | | | 0 | | | | | |
| KOR | | 0 | | | | | | | | |
| UKR | | | | 0 | | | 0 | | | |
| PGM : Pogonophryne marmorata Total | | 0 | | 0 | 0 | 0 | 0 | | | |
| PGR : Pogonophryne permitini | | | | | | | | | | |
| NZL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| PGR : Pogonophryne permitini Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| PHB : Pachycara brachycephalum | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| KOR | 0 | | | | | | | | | |
| PHB : Pachycara brachycephalum Total | 0 | | | | 0 | | | | | |
| PIV : Edentoliparis terraenovae | | | | | | | | | | |
| NOR | | | | 0 | | | 0 | 0 | | |
| PIV : Edentoliparis terraenovae Total | | | | 0 | | | 0 | 0 | | |
| PLF : Artedidraconidae | | | | | | | | | | |
| FRA | | | | | | 0 | | | | |
| PLF : Artedidraconidae Total | | | | | | 0 | | | | |
| PLG : Paraliparis gracilis | | | | | | | | | | |
| AUS | | | | | | | | | 0 | |
| PLG : Paraliparis gracilis Total | | | | | | | | | 0 | |
| PMA : Pagetopsis macropterus | | | | | | | | | | |
| CHL | | | | | | | | 0 | 0 | |
| CHN | | | 0 | 0 | | | 0 | 0 | 0 | |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| UKR | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| PMA : Pagetopsis macropterus Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PMC : Poromitra crassiceps | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| PMC : Poromitra crassiceps Total | | | | | | 0 | | 0 | | |
| POG : Pogonophryne spp | | | | | | | | | | |
| AUS | | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| CHL | | | | | 0 | | | | | 0 |
| ESP | 0 | 0 | 0 | 0 | | | | 0 | 0 | 0 |
| FRA | | | | | 0 | | | | | |
| GBR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| JPN | | | | | | | | | 0 | 0 |
| KOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | | 0 | 0 | | | | | |
| NZL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RUS | 0 | 0 | 0 | | | 0 | | | | |
| UKR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| URY | | | | | | | 0 | | 0 | |
| POG : Pogonophryne spp Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| POR : Lamna nasus | | | | | | | | | | |
| AUS | | | | | 0 | | | 0 | 0 | 0 |
| FRA | | | | | | 0 | 0 | | 0 | 0 |
| GBR | | 0 | | 0 | | | | | | |
| POR : Lamna nasus Total | | 0 | | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| POS : Micromesistius australis | | | | | | | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| CHL | 0 | | | | | | | 0 | | |
| GBR | | | | 0 | | | | | | |
| NOR | | | | | | | | | | 0 |
| POS : Micromesistius australis Total | 0 | | | 0 | | | | 0 | | 0 |
| PRD : Pareledone spp | | | | | | | | | | |
| AUS | | | | | 0 | | | | | |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | | | | | 0 | |
| NZL | | | 0 | | 0 | 0 | | | | |
| PRD : Pareledone spp Total | | | 0 | | 0 | 0 | | | 0 | 0 |
| PRE : Protomyctophum tenisoni | | | | | | | | | | |
| CHN | | | | | 0 | 0 | | | | |
| KOR | | 0 | | | | | | | | |
| NOR | | | | 0 | | | 0 | 0 | | 0 |
| PRE : Protomyctophum tenisoni Total | | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 |
| PRY : Protomyctophum choriodon | | | | | | | | | | |
| CHN | | | | | | 0 | 0 | | | |
| GBR | | | | | | | | 0 | | 0 |
| NOR | | | | | | | | 0 | | 0 |
| PRY : Protomyctophum choriodon Total | | | | | | 0 | 0 | 0 | | 0 |
| PSG : Psychroteuthis glacialis | | | | | | | | | | |
| CHN | | | | | | | | | 0 | |
| KOR | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| NOR | | | | | | 0 | 0 | 0 | 0 | |
| NZL | | | | | | 0 | | | | |
| UKR | | | | | | | | | | 0 |
| PSG : Psychroteuthis glacialis Total | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| PSR : Psilodraco breviceps | | | | | | | | | | |
| GBR | | 0 | | | | 0 | | 0 | | 0 |
| KOR | | | | 0 | 0 | | | 0 | | |
| PSR : Psilodraco breviceps Total | | 0 | | 0 | 0 | 0 | | 0 | | 0 |
| PTC : Trematomus pennellii | | | | | | | | | | |
| CHN | | | | | | | 0 | | | |
| KOR | 0 | 0 | | | | | | | | |
| PTC : Trematomus pennellii Total | 0 | 0 | | | | | 0 | | | |
| PVM : Paraliparis meganchus | | | | | | | | | | |
| CHN | | 0 | | | | | | | | |
| PVM : Paraliparis meganchus Total | | 0 | | | | | | | | |
| PVP : Protomyctophum spp | | | | | | | | | | |
| AUS | | | | | | | | | 0 | |
| CHL | | | | | | | 0 | | | |
| NOR | | | | | | | | 0 | | |
| NZL | | | | | | 0 | | | | |
| PVP : Protomyctophum spp Total | | | | | | 0 | 0 | 0 | 0 | |
| PVZ : Paraliparis spp | | | | | | | | | | |
| AUS | | | | | | | 0 | 0 | | |
| KOR | | | | 0 | | | | | | |
| PVZ : Paraliparis spp Total | | | | 0 | | | 0 | 0 | | |
| PWJ : Pycnogonida | | | | | | | | | | |
| AUS | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | 0 | 0 | 0 |
| PWJ : Pycnogonida Total | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PZS : Pagetopsis maculata | | | | | | | | | | |
| KOR | | | | 0 | | | | | | |
| PZS : Pagetopsis maculata Total | | | | 0 | | | | | | |
| QCX : Gorgonocephalus spp | | | | | | | | | | |
| CHL | | | | | | | | | | 0 |
| QCX : Gorgonocephalus spp Total | | | | | | | | | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|----------|-----------|
| QMC : Macrourus caml | | | | | | | | | | |
| AUS | | 1 | 1 | | 5 | 4 | 2 | 3 | 1 | 1 |
| CHL | | | | | | | 0 | | | |
| GBR | | | | | | 0 | | | | |
| KOR | | 0 | | | | | | | | 1 |
| NZL | | | | | | 1 | | | | |
| UKR | | | | | | | 0 | | | 2 |
| QMC : Macrourus caml Total | | 1 | 1 | | 5 | 5 | 2 | 3 | 1 | 3 |
| RAJ : Rajidae | | | | | | | | | | |
| CHL | | | | | | | 0 | | | |
| ESP | 1 | | | 0 | | | | | | |
| JPN | | | | | | | | | | 0 |
| KOR | | | | | 2 | 1 | 9 | 8 | 1 | 2 |
| RUS | 0 | 0 | | 0 | 0 | | | | | |
| URY | | | | | | 0 | 0 | | | |
| RAJ : Rajidae Total | 1 | 0 | | 0 | 2 | 1 | 9 | 8 | 1 | 2 |
| RFA : Amblyraja taaf | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| FRA | 55 | 17 | 33 | 25 | 21 | 13 | 2 | 5 | 9 | 8 |
| RFA : Amblyraja taaf Total | 55 | 17 | 33 | 25 | 21 | 13 | 2 | 5 | 9 | 8 |
| RFD : Paraliparis kerguelensis | | | | | | | | | | |
| FRA | | | | | | | | 0 | | |
| RFD : Paraliparis kerguelensis Total | | | | | | | | 0 | | |
| RGG : Racovitzia glacialis | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| CHN | 0 | | | | | | | | | |
| RGG : Racovitzia glacialis Total | 0 | | | | 0 | | | | | |
| RTX : Macrouridae | | | | | | | | | | |
| NZL | | | | | | 0 | | | | |
| RTX : Macrouridae Total | | | | | | 0 | | | | |
| RZZ : Somniosus antarcticus | | | | | | | | | | |
| AUS | | | | | | | | | 3 | 1 |
| FRA | | | | | | 0 | 0 | | | 0 |
| RZZ : Somniosus antarcticus Total | | | | | | 0 | 0 | | 3 | 1 |
| SBB : Stomias boa | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| SBB : Stomias boa Total | | | | | | 0 | | 0 | 0 | 0 |
| SDC : Diastobranthus capensis | | | | | | | | | | |
| FRA | | | | | | | | | | 0 |
| SDC : Diastobranthus capensis Total | | | | | | | | | | 0 |
| SES : Mirounga leonina | | | | | | | | | | |
| AUS | | | | | | 0 | | | | |
| SES : Mirounga leonina Total | | | | | | 0 | | | | |
| SEX : Eurypharynx pelecyanoides | | | | | | | | | | |
| NZL | | | 0 | | | | | | | |
| SEX : Eurypharynx pelecyanoides Total | | | 0 | | | | | | | |
| SGI : Pseudochaenichthys georgianus | | | | | | | | | | |
| CHL | 0 | | | | 0 | | 0 | 1 | 0 | 1 |
| CHN | 0 | 0 | 0 | 2 | | 0 | 0 | 0 | 0 | 0 |
| GBR | 0 | 1 | | 1 | 0 | 1 | | 0 | | 1 |
| KOR | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| NOR | | 0 | 0 | 0 | 2 | 0 | 1 | 6 | 4 | 18 |
| UKR | | 0 | 0 | 0 | 0 | 0 | 0 | 2 | | 2 |
| SGI : Pseudochaenichthys georgianus Total | 2 | 1 | 0 | 3 | 2 | 1 | 1 | 10 | 4 | 22 |
| SHL : Etmopterus spp | | | | | | | | | | |
| AUS | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
| FRA | | | | | 0 | 3 | 2 | 0 | 0 | 0 |
| SHL : Etmopterus spp Total | | | 0 | 0 | 0 | 3 | 2 | 0 | 0 | 0 |
| SLH : Scopelosaurus hamiltoni | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| NOR | | | | | | | | 0 | | |
| SLH : Scopelosaurus hamiltoni Total | | | | | | | | 0 | | |
| SON : Somniosus pacificus | | | | | | | | | | |
| AUS | | 8 | 5 | 7 | 4 | 3 | 2 | 2 | 10 | 0 |
| SON : Somniosus pacificus Total | | 8 | 5 | 7 | 4 | 3 | 2 | 2 | 10 | 0 |
| SPX : Salpidae | | | | | | | | | | |
| AUS | | | | | 0 | 0 | | 0 | | 0 |
| CHL | | | 0 | | | | 0 | 0 | 0 | |
| CHN | | | 0 | 1,157 | 0 | 1 | 1 | | 0 | 0 |
| KOR | | | | 5 | 0 | 1 | 0 | | 0 | |
| NOR | | | | | | | 0 | | 0 | 0 |
| NZL | | | | | | 0 | | 0 | | |
| UKR | | | | | 0 | 2 | 3 | 0 | 1 | 2 |
| SPX : Salpidae Total | | | 0 | 1,162 | 0 | 4 | 4 | 0 | 1 | 2 |
| SQ1 : Ommastrephes, Illex | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| NZL | 0 | | | | | | | 0 | | |
| SQ1 : Ommastrephes, Illex Total | 0 | | | | | | | 0 | | 0 |
| SQC : Loligo spp | | | | | | | | | | |
| AUS | | | | | | | | | 0 | |
| KOR | 0 | 0 | | | | | | | | |
| SQC : Loligo spp Total | 0 | 0 | | | | | | | 0 | |
| SQS : Martialia hyadesi | | | | | | | | | | |
| KOR | 0 | | | | | | | | | |
| SQS : Martialia hyadesi Total | 0 | | | | | | | | | |
| SQU : Loliginidae, Ommastrephidae | | | | | | | | | | |
| AUS | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| CHL | | | | | | | | | 0 | |
| NOR | | | | | | | | | | 0 |
| NZL | | | | | | | | | | 0 |
| SQU : Loliginidae, Ommastrephidae Total | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| SRR : Amblyraja georgiana | | | | | | | | | | |
| CHL | 0 | | | | | | 0 | | | 1 |
| ESP | | 0 | 2 | | | | | | | |
| GBR | | 0 | | 0 | | 0 | | 0 | | 0 |
| KOR | | 0 | 1 | 0 | 5 | 0 | 2 | | 0 | 1 |
| NZL | | | | 0 | | | | | | |
| RUS | 0 | 0 | 0 | | | 1 | | | | |
| UKR | | | | | 0 | | 0 | | | 0 |
| SRR : Amblyraja georgiana Total | 0 | 0 | 2 | 0 | 5 | 1 | 2 | 0 | 0 | 1 |
| SRX : Rajiformes | | | | | | | | | | |
| AUS | 15 | 19 | 44 | 30 | 22 | 28 | 35 | 26 | 23 | 27 |
| CHL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| ESP | | 1 | 1 | | 0 | 0 | 0 | 1 | 0 | |
| FRA | | 0 | | | | | | | 0 | |
| GBR | 1 | 1 | 2 | 1 | 4 | 2 | 2 | 3 | 3 | 1 |
| JPN | 0 | 0 | 0 | 0 | | 0 | | | | |
| KOR | 0 | | | 3 | | 1 | | 0 | 2 | 2 |
| NOR | 0 | 2 | | 0 | 0 | | | | | |
| NZL | 2 | 2 | 4 | 4 | 3 | 3 | 2 | 3 | 2 | 20 |
| RUS | 0 | 2 | 0 | 0 | 0 | 0 | 0 | | | |
| UKR | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 |
| URY | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| ZAF | 0 | 1 | 1 | 0 | 3 | 7 | 14 | 3 | | |
| SRX : Rajiformes Total | 20 | 29 | 51 | 39 | 33 | 43 | 57 | 36 | 31 | 53 |
| SSI : Chaenocephalus aceratus | | | | | | | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|
| CHL | 1 | | 0 | | 1 | | 0 | 0 | 0 | 0 |
| CHN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| GBR | 0 | 1 | | 1 | | 1 | | 0 | | 2 |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 3 |
| UKR | | 0 | 0 | | 0 | | 0 | 0 | 0 | 1 |
| SSI : Chaenocephalus aceratus Total | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 7 | 0 | 6 |
| SSX : Ascidiacea | | | | | | | | | | |
| AUS | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| CHL | | | | | | | | | | 0 |
| GBR | | | | | 0 | | | | | |
| JPN | | | 0 | | | | | | 0 | |
| NZL | | | | 0 | | 0 | | | | |
| UKR | | 0 | | | | | | | | |
| SSX : Ascidiacea Total | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| STF : Asteroidea | | | | | | | | | | |
| AUS | 10 | 12 | 9 | 13 | 18 | 12 | 5 | 3 | 3 | 3 |
| CHL | | | | | | | | | | 0 |
| FRA | 0 | 0 | | 0 | 0 | | | | | |
| GBR | | | 0 | 0 | 0 | | | | | |
| JPN | | | 0 | | | | | | | |
| KOR | | | | | | | | | | 0 |
| NOR | 0 | 1 | | | | | | | | |
| NZL | 1 | 0 | 1 | 0 | | 0 | 1 | 1 | 1 | 1 |
| RUS | | | | | 0 | | 0 | | | |
| UKR | | | | 0 | | 0 | 0 | 0 | 0 | |
| URY | | | | | | | 0 | | 0 | |
| STF : Asteroidea Total | 11 | 13 | 10 | 13 | 18 | 13 | 6 | 4 | 5 | 4 |
| STO : Stolephorus spp | | | | | | | | | | |
| AUS | | | | | | | | 0 | | |
| STO : Stolephorus spp Total | | | | | | | | 0 | | |
| SVY : Synphobranchidae | | | | | | | | | | |
| URY | | | | | | | | | | 0 |
| SVY : Synphobranchidae Total | | | | | | | | | | 0 |
| SWK : Stomias spp | | | | | | | | | | |
| AUS | | | | | | | | 0 | 0 | 0 |
| SWK : Stomias spp Total | | | | | | | | 0 | 0 | 0 |
| SZS : Serpulidae | | | | | | | | | | |
| AUS | | | | | | | | 0 | | 0 |
| GBR | | | | | 0 | | | | | |
| SZS : Serpulidae Total | | | | | 0 | | | 0 | | 0 |
| SZT : Pogonophryne scotti | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| RUS | 0 | | | | | | | | | |
| SZT : Pogonophryne scotti Total | 0 | | | | 0 | | | | | |
| TEZ : Paradiplospinus antarcticus | | | | | | | | | | |
| KOR | | | | 0 | | | | 0 | 0 | |
| TEZ : Paradiplospinus antarcticus Total | | | | 0 | | | | 0 | 0 | |
| TIC : Chionodraco hamatus | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| CHN | | | 0 | | | | | 0 | | |
| KOR | 0 | | | | | | | 0 | | 0 |
| NOR | | | 0 | 0 | | | | | | |
| UKR | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| TIC : Chionodraco hamatus Total | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 |
| TLO : Trematomus loennbergii | | | | | | | | | | |
| AUS | | | | 0 | | 0 | | 0 | | |
| GBR | | 0 | | | | | | | | |
| KOR | 0 | 0 | | | | | | | | |
| NZL | | | 0 | | | | | | | 0 |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| RUS | 0 | | | | | | | | | |
| UKR | | | | | 0 | | | | | |
| TLO : Trematopus loennbergii Total | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 |
| TMW : Trematopus vicarius | | | | | | | | | | |
| NOR | | | 0 | | | | | | | |
| TMW : Trematopus vicarius Total | | | 0 | | | | | | | |
| TOA : Dissostichus mawsoni | | | | | | | | | | |
| AUS | 0 | 212 | 54 | 243 | 264 | 223 | 260 | 173 | 178 | 434 |
| CHL | | | 6 | | 3 | | 14 | | | 26 |
| CHN | | 0 | | 0 | 0 | | | | | |
| ESP | 395 | 292 | 387 | 402 | 301 | 484 | 329 | 360 | 585 | 540 |
| FRA | | | | 15 | 64 | 16 | 18 | | 41 | 43 |
| GBR | 519 | 539 | 512 | 241 | 297 | 845 | 727 | 495 | 643 | 26 |
| JPN | 134 | 151 | 135 | 326 | 349 | 194 | 113 | 204 | 246 | 238 |
| KOR | 891 | 912 | 847 | 1,242 | 919 | 817 | 1,139 | 1,426 | 1,690 | 1,756 |
| NOR | 287 | 367 | 0 | 177 | 184 | 0 | | | | 0 |
| NZL | 863 | 521 | 925 | 785 | 626 | 745 | 433 | 779 | 480 | 648 |
| RUS | 634 | 599 | 727 | 451 | 442 | 394 | 366 | | | |
| UKR | 111 | 205 | 447 | 285 | 582 | 472 | 533 | 696 | 735 | 1,049 |
| URY | | | | 67 | 200 | 210 | 146 | | 93 | |
| ZAF | 11 | 37 | 97 | 110 | 168 | | 82 | | | |
| TOA : Dissostichus mawsoni Total | 3,846 | 3,836 | 4,136 | 4,345 | 4,400 | 4,399 | 4,161 | 4,134 | 4,690 | 4,759 |
| TOP : Dissostichus eleginoides | | | | | | | | | | |
| AUS | 2,749 | 4,225 | 2,775 | 3,349 | 3,137 | 3,402 | 3,014 | 2,996 | 2,766 | 2,477 |
| CHL | 373 | 340 | 341 | 338 | 319 | 326 | 360 | | | |
| CHN | | 0 | | | | | | | | |
| ESP | 1 | 0 | 1 | 1 | 1 | 0 | 4 | 0 | | |
| FRA | 6,462 | 5,237 | 6,585 | 6,260 | 5,998 | 6,096 | 5,975 | 5,872 | 5,895 | 5,999 |
| GBR | 1,312 | 1,164 | 1,165 | 1,153 | 1,132 | 1,135 | 1,217 | 1,234 | 1,592 | 1,621 |
| JPN | 51 | 43 | 48 | 26 | 2 | 16 | | 9 | 15 | 3 |
| KOR | | | 0 | 0 | 0 | 1 | 0 | | 3 | 3 |
| NOR | 0 | 0 | | | 0 | | | | | |
| NZL | 423 | 416 | 418 | 414 | 380 | 379 | 326 | 345 | 0 | 3 |
| RUS | 0 | 0 | 2 | | | | | | | |
| UKR | 2 | 4 | 2 | 7 | 2 | 1 | 0 | 1 | 0 | 0 |
| URY | 118 | 317 | 319 | 319 | 136 | 304 | | 254 | 31 | 261 |
| ZAF | 277 | 310 | 255 | 68 | 311 | 266 | 270 | 365 | 38 | |
| TOP : Dissostichus eleginoides Total | 11,768 | 12,058 | 11,910 | 11,934 | 11,419 | 11,924 | 11,165 | 11,076 | 10,341 | 10,367 |
| TQB : Thymops birsteini | | | | | | | | | | |
| GBR | | | | | | 0 | | | | |
| TQB : Thymops birsteini Total | | | | | | 0 | | | | |
| TRD : Trematopus lepidorhinus | | | | | | | | | | |
| AUS | | | | 0 | 0 | | | | | |
| CHL | | | | | | | | | | 0 |
| CHN | | | | | | | | 0 | 0 | |
| ESP | | 0 | 0 | | | | | | | |
| FRA | | | | | | | 0 | | | |
| GBR | | | | | 0 | | | | | |
| KOR | | 0 | | | 0 | 0 | 0 | 0 | | 0 |
| NOR | | | | | | | 0 | 0 | | 0 |
| NZL | | 0 | | | | 0 | | | | 0 |
| RUS | | | | | | | 0 | | | |
| UKR | | | | | 0 | | | | 0 | 0 |
| TRD : Trematopus lepidorhinus Total | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TRH : Trematopus hansonii | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |
| GBR | | 0 | | 0 | | 0 | | 0 | | 0 |
| KOR | 0 | | | | | | | 0 | | |
| NOR | | | | | 0 | | | 0 | 0 | |
| NZL | | | | | | | | | | 0 |
| TRH : Trematopus hansonii Total | 0 | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 |
| TRL : Trematopus eulepidotus | | | | | | | | | | |
| CHL | | | | | 0 | | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|--|----------|----------|----------|-----------|-----------|----------|----------|----------|----------|----------|
| CHN | | | 0 | | | | 0 | 0 | | |
| KOR | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | | | | | 0 | 0 | 0 | | | |
| TRL : Trematomus eulepidotus Total | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TRN : Trematomus nicolai | | | | | | | | | | |
| NZL | | | | | | | | | | 0 |
| TRN : Trematomus nicolai Total | | | | | | | | | | 0 |
| TRT : Trematomus spp | | | | | | | | | | |
| AUS | | 0 | | | 0 | | | 0 | | |
| ESP | 0 | | 0 | | | | | | | |
| KOR | | | 0 | | | 0 | | 0 | | |
| NZL | | | | | | 0 | 0 | 0 | 0 | |
| RUS | | | 0 | | | 0 | | | | |
| UKR | | 0 | 0 | | | | 0 | | | |
| TRT : Trematomus spp Total | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | |
| TRW : Trematomus newnesi | | | | | | | | | | |
| CHL | | | | | 0 | | | 0 | | |
| KOR | | | | 0 | | | | 0 | 0 | |
| NOR | | | | 0 | 0 | | | | | |
| TRW : Trematomus newnesi Total | | | | 0 | 0 | | | 0 | 0 | |
| TWP : Adelleledone polymorpha | | | | | | | | | | |
| GBR | | | | 0 | | 0 | | | | 0 |
| TWP : Adelleledone polymorpha Total | | | | 0 | | 0 | | | | 0 |
| TWT : Pareledone turqueti | | | | | | | | | | |
| GBR | | 0 | | 0 | | 0 | | | | 0 |
| TWT : Pareledone turqueti Total | | 0 | | 0 | | 0 | | | | 0 |
| UHK : Filippovia knipovitchi | | | | | | | | | | |
| KOR | | | | 0 | | 0 | | 0 | | |
| UHK : Filippovia knipovitchi Total | | | | 0 | | 0 | | 0 | | |
| UHX : Onykia spp | | | | | | | | | | |
| KOR | | | | | | | | 0 | | |
| NOR | | | | 0 | | | | | | |
| UHX : Onykia spp Total | | | | 0 | | | | 0 | | |
| UN1 : Unknown | | | | | | | | | | |
| AUS | | | | | 0 | | | | | |
| CHL | | | | | | | | | | 0 |
| GBR | | | | 0 | | 0 | | | | |
| KOR | 0 | | 0 | 0 | | 0 | | | | |
| NOR | | | 0 | 0 | | 0 | | 0 | | |
| UN1 : Unknown Total | 0 | | 0 | 0 | 0 | 0 | | 0 | | 0 |
| UNL : Uncisudis longirostra | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| UNL : Uncisudis longirostra Total | | | | | | | | | | 0 |
| URX : Echinoidea | | | | | | | | | | |
| AUS | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | 0 | | |
| URX : Echinoidea Total | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WGR : Macrourus whitsoni | | | | | | | | | | |
| AUS | 1 | 0 | 0 | | 11 | 0 | 0 | 0 | 0 | |
| CHL | | | | | 0 | | 0 | | | |
| KOR | 0 | 0 | 1 | 7 | | | | | | 0 |
| NZL | | | | 4 | | 0 | | | | |
| RUS | 0 | 7 | | 0 | | 1 | | | | |
| UKR | | | | 0 | 1 | | 0 | | | 0 |
| WGR : Macrourus whitsoni Total | 2 | 7 | 1 | 11 | 11 | 1 | 1 | 0 | 0 | 0 |
| WIC : Chaenodraco wilsoni | | | | | | | | | | |

Table 8.1

| | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| CHL | | | | | 0 | | 0 | 0 | 0 | 0 |
| CHN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| KOR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NZL | | | | | | 0 | | | | |
| UKR | | | 0 | 0 | 0 | | 0 | 0 | | 0 |
| WIC : Chaenodraco wilsoni Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| WOR : Polychaeta | | | | | | | | | | |
| AUS | | | | | 0 | 0 | | 0 | 0 | 0 |
| NZL | | | | 0 | | 0 | 0 | 0 | | |
| WOR : Polychaeta Total | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| XEF : Xenophyphoroidea | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| CHL | | | | | | | | | | 0 |
| XEF : Xenophyphoroidea Total | | | | | | | | | | 0 |
| YDB : Cryodraco spp | | | | | | | | | | |
| CHL | | | | | | | | | | 0 |
| KOR | 0 | 0 | | | | | | | | |
| YDB : Cryodraco spp Total | 0 | 0 | | | | | | | | 0 |
| ZLS : Cyclopteridae | | | | | | | | | | |
| KOR | | | | 0 | | | | | 0 | |
| NOR | | | | | | 0 | | | | |
| NZL | | | 0 | | | | | 0 | | |
| ZLS : Cyclopteridae Total | | | 0 | 0 | | 0 | | 0 | 0 | |
| ZOT : Zoantharia | | | | | | | | | | |
| AUS | | | | | | | | | | 0 |
| CHL | | | | | | | | | | 0 |
| JPN | | | | | | 0 | 0 | | 0 | |
| NZL | | | | 0 | | | | | | |
| ZOT : Zoantharia Total | | | | 0 | | 0 | 0 | | 0 | 0 |
| ZSP : Zancloirhynchus spinifer | | | | | | | | | | |
| AUS | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| ZSP : Zancloirhynchus spinifer Total | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| Grand Total | 312,319 | 243,670 | 278,720 | 257,288 | 331,246 | 406,276 | 468,115 | 388,901 | 433,491 | 441,431 |